

The APA is offering the Cultural Formulation Interview (including the Informant Version) and the Supplementary Modules to the Core Cultural Formulation Interview for further research and clinical evaluation. They should be used in research and clinical settings as potentially useful tools to enhance clinical understanding and decision-making and not as the sole basis for making a clinical diagnosis. Additional information can be found in DSM-5-TR in the Section III chapter “Cultural Formulation.” The APA requests that clinicians and researchers provide further data on the usefulness of these cultural formulation interviews at <http://www.dsm5.org/Pages/Feedback-Form.aspx>.

Measure: Cultural Formulation Interview (CFI)—Informant Version

Rights granted: This measure may not be modified absent written permission from APA. This measure can be reproduced, either electronically or in print formats, without permission by researchers and by clinicians solely for use with their patients in private-practice, research, or hospital settings. For the avoidance of doubt, this includes that Clinicians may upload this instrument into their own pre-existing electronic health software systems for patient assessment and records when done solely for their own use with their patients.

Rights holder: American Psychiatric Association

To request permission to include this measure in a commercial electronic health record system (EHR) or application, to translate the measure, or for any other use beyond what is stipulated above, please contact:

<https://webapps.psychiatry.org/RequestForm/>

Cultural Formulation Interview (CFI)—Informant Version

GUIDE TO INTERVIEWER

INSTRUCTIONS TO THE INTERVIEWER ARE *ITALICIZED*.

The following questions aim to clarify key aspects of the presenting clinical problem from the informant's point of view. This includes the problem's meaning, potential sources of help, and expectations for services.

INTRODUCTION FOR THE INFORMANT:

I would like to understand the problems that bring your family member/friend here so that I can help you and him/her more effectively. I want to know about **your** experience and ideas. I will ask some questions about what is going on and how you and your family member/friend are dealing with it. There are no right or wrong answers.

RELATIONSHIP WITH THE PATIENT

Clarify the informant's relationship with the individual and/or the individual's family.

1. How would you describe your relationship to [INDIVIDUAL OR TO FAMILY]?
- PROBE IF NOT CLEAR:*
How often do you see [INDIVIDUAL]?

CULTURAL DEFINITION OF THE PROBLEM

Elicit the informant's view of core problems and key concerns.
Focus on the informant's way of understanding the individual's problem.
Use the term, expression, or brief description elicited in question 1 to identify the problem in subsequent questions (e.g., "her conflict with her son").

2. What brings your family member/friend here today?
IF INFORMANT GIVES FEW DETAILS OR ONLY MENTIONS SYMPTOMS OR A MEDICAL DIAGNOSIS, PROBE:
People often understand problems in their own way, which may be similar or different from how doctors describe the problem. How would **you** describe [INDIVIDUAL'S] problem?

Ask how informant frames the problem for members of the social network.

3. Sometimes people have different ways of describing the problem to family, friends, or others in their community. How would **you** describe [INDIVIDUAL'S] problem to them?

Focus on the aspects of the problem that matter most to the informant.

4. What troubles you most about [INDIVIDUAL'S] problem?

CULTURAL PERCEPTIONS OF CAUSE, CONTEXT, AND SUPPORT

CAUSES

This question indicates the meaning of the condition for the informant, which may be relevant for clinical care.
Note that informants may identify multiple causes depending on the facet of the problem they are considering.

5. Why do you think this is happening to [INDIVIDUAL]? What do you think are the causes of his/her [PROBLEM]?
- PROMPT FURTHER IF REQUIRED:*
Some people may explain the problem as the result of bad things that happen in their life, problems with others, a physical illness, a spiritual reason, or many other causes.

Focus on the views of members of the individual's social network. These may be diverse and vary from the informant's.

6. What do others in [INDIVIDUAL'S] family, his/her friends, or others in the community think is causing [INDIVIDUAL'S] [PROBLEM]?

Cultural Formulation Interview (CFI)—Informant Version

STRESSORS AND SUPPORTS

<p><i>Elicit information on the individual's life context, focusing on resources, social supports, and resilience. May also probe other supports (e.g., from co-workers, from participation in religion or spirituality).</i></p>	<p>7. Are there any kinds of supports that make his/her [PROBLEM] better, such as from family, friends, or others?</p>
<p><i>Focus on stressful aspects of the individual's environment. Can also probe, e.g., relationship problems, difficulties at work or school, or discrimination.</i></p>	<p>8. Are there any kinds of stresses that make his/her [PROBLEM] worse, such as difficulties with money, or family problems?</p>

ROLE OF CULTURAL IDENTITY

	<p>Sometimes, aspects of people's background or identity can make the [PROBLEM] better or worse. By background or identity, I mean, for example, the communities you belong to, the languages you speak, where you or your family are from, your race or ethnic background, your gender or sexual orientation, and your faith or religion.</p>
<p><i>Ask the informant to reflect on the most salient elements of the individual's cultural identity. Use this information to tailor questions 10–11 as needed.</i></p>	<p>9. For you, what are the most important aspects of [INDIVIDUAL'S] background or identity?</p>
<p><i>Elicit aspects of identity that make the problem better or worse.</i></p>	<p>10. Are there any aspects of [INDIVIDUAL'S] background or identity that make a difference to his/her [PROBLEM]?</p>
<p><i>Probe as needed (e.g., clinical worsening as a result of discrimination due to migration status, race/ethnicity, or sexual orientation).</i></p>	
<p><i>Probe as needed (e.g., migration-related problems; conflict across generations or due to gender roles).</i></p>	<p>11. Are there any aspects of [INDIVIDUAL'S] background or identity that are causing other concerns or difficulties for him/her?</p>

CULTURAL FACTORS AFFECTING SELF-COPING AND PAST HELP SEEKING

SELF-COPING

<p><i>Clarify individual's self-coping for the -problem.</i></p>	<p>12. Sometimes people have various ways of dealing with problems like [PROBLEM]. What has [INDIVIDUAL] done on his/her own to cope with his/her [-PROBLEM]?</p>
--	---

PAST HELP SEEKING

<p><i>Elicit various sources of help (e.g., medical care, mental health treatment, support groups, work-based counseling, folk healing, religious or spiritual counseling, other alternative healing).</i></p> <p><i>Probe as needed (e.g., "What other sources of help has he/she used?").</i></p> <p><i>Clarify the individual's experience and regard for previous help.</i></p>	<p>13. Often, people also look for help from many different sources, including different kinds of doctors, helpers, or healers. In the past, what kinds of treatment, help, advice, or healing has [INDIVIDUAL] sought for his/her [PROBLEM]?</p> <p>PROBE IF DOES NOT DESCRIBE USEFULNESS OF HELP RECEIVED:</p> <p>What types of help or treatment were most useful? Not useful?</p>
---	--

Cultural Formulation Interview (CFI)—Informant Version

BARRIERS	
<p><i>Clarify the role of social barriers to help-seeking, access to care, and problems engaging in previous treatment.</i></p> <p><i>Probe details as needed (e.g., “What got in the way?”).</i></p>	<p>14. Has anything prevented [INDIVIDUAL] from getting the help he/she needs?</p> <p><i>PROBE AS NEEDED:</i> For example, money, work or family commitments, stigma or discrimination, or lack of services that understand his/her language or background?</p>

CULTURAL FACTORS AFFECTING CURRENT HELP SEEKING

PREFERENCES	
<p><i>Clarify individual’s current perceived needs and expectations of help, broadly defined, from the point of view of the informant.</i></p> <p><i>Probe if informant lists only one source of help (e.g., “What other kinds of help would be useful to [INDIVIDUAL] at this time?”).</i></p> <p><i>Focus on the views of the social network regarding help seeking.</i></p>	<p>Now let’s talk about the help [INDIVIDUAL] needs.</p> <p>15. What kinds of help would be most useful to him/her at this time for his/her [PROBLEM]?</p> <p>16. Are there other kinds of help that [INDIVIDUAL’S] family, friends, or other people have suggested would be helpful for him/her now?</p>

CLINICIAN-PATIENT RELATIONSHIP	
<p><i>Elicit possible concerns about the clinic or the clinician-patient relationship, including perceived racism, language barriers, or cultural differences that may undermine goodwill, communication, or care delivery.</i></p> <p><i>Probe details as needed (e.g., “In what way?”).</i></p> <p><i>Address possible barriers to care or concerns about the clinic and the clinician-patient relationship raised previously.</i></p>	<p>Sometimes doctors and patients misunderstand each other because they come from different backgrounds or have different expectations.</p> <p>17. Have you been concerned about this, and is there anything that we can do to provide [INDIVIDUAL] with the care he/she needs?</p>